



# LOW- PRESSURE SPRAY EQUIPMENT



**SUPERIOR FINISH QUALITY**

# LOW-PRESSURE SPRAYPACK

Constant flow for high quality performance

LARIUS produces a high quality range of low pressure equipment and related accessories designed for all types of woodwork furniture and metal industrial spraying applications.


- Single gun or multigun feeding
- Fine atomization and high application performance
- Suitable for low to medium viscosity fluids
- Less overspray with maximum control and material waste
- Safer and cleaner spray work environment
- Quick clean up, low maintenance and easy to use machinery



ATEX certified  
**LARIUS 2**  
Ex II 2 G c IIB T4




ATEX certified  
**GHIBLI**  
Ex II 2 G c IIB T6



## LARIUS 2 1:1 LOW-PRESSURE SPRAY PACK

Compact diaphragm technology.  
Aluminium version and Stainless steel version.



## VEGA 5:1 LOW-PRESSURE SPRAY PACK

Pneumatic piston pump technology.  
Short divorced Stainless steel version.

### TECHNICAL DATA

PUMP TYPE	LARIUS 2 1:1 AODD 21 L/M	VEGA 5:1 PISTON PUMP 9 L/M
MAX. AIR INLET PRESSURE	Max. 7 bar	Max. 7 bar
MAX. FLUID OUTLET	Max. 7 bar	Max. 35 bar
AIR INLET	1/4" BSPT (F)	3/8" BSPT (F)
MATERIAL OUTLET	1/4" BSPT (M)	1/4" BSPT (M)
MAX. DELIVERY AT 50 CPM	21 l/min	7,5 l/min
MAX. DELIVERY AT 60 CPM	25 l/min	9 l/min
AIR CONSUMPTION	Max. 120 l/min	3 bar 200 l/min 5 bar 350 l/min 7 bar 470 l/min
SOUND PRESSURE LEVEL	<70 dB (A)	<80 dB (A)
MOTOR DIAMETER	-	76 mm (3")
STROKE PUMP	-	76 mm (3")
DELIVERY PER CYCLE	420 cc	150 cc
WEIGHT	22 kg	24 kg

# FIND THE RIGHT SOLUTION FROM OUR WIDE RANGE OF EQUIPMENT

## CHOOSE YOUR CONFIGURATION

MODEL	PART No.	TROLLEY	WALL	FRAME	PAIL 23 L	SUCTION SYSTEM	TANK 6 L	REGULATOR	HOSE	GUN	LINE FILTER	
LARIUS 2 ALUMINIUM	8050	•					•					
	8050FL	•					•				•	
	8050FL13	•					•		8151	X102 - 1,3	•	
	8050FL15	•					•		8151	X102 - 1,5	•	
	8050FLRM	•					•	7185			•	
	8050FLRM13	•					•	7185	8151	X102 - 1,3	•	
	8050FLRM15	•					•	7185	8151	X102 - 1,5	•	
	8090	•					•					
	8090FL	•					•				•	
	8090FL13	•					•		8151	X102 - 1,3	•	
	8090FL15	•					•		8151	X102 - 1,5	•	
	8090FLRM	•					•	7185			•	
	8090FLRM13	•					•	7185	8151	X102 - 1,3	•	
	8090FLRM15	•					•	7185	8151	X102 - 1,5	•	
	8080					•	•					
	8080FL					•	•				•	
	8080FL13					•	•			8151	X102 - 1,3	•
	8080FL15					•	•			8151	X102 - 1,5	•
	8080FLRM					•	•		7185		•	
	8080FLRM13					•	•		7185	8151	X102 - 1,3	•
	8080FLRM15					•	•		7185	8151	X102 - 1,5	•
	8110		•				•					
	8110FL		•				•				•	
	8110FL13		•				•			8151	X102 - 1,3	•
	8110FL15		•				•			8151	X102 - 1,5	•
	8110FLRM		•				•		7185		•	
	8110FLRM13		•				•		7185	8151	X102 - 1,3	•
	8110FLRM15		•				•		7185	8151	X102 - 1,5	•
	8700				•		•					
	8700FL				•		•				•	
8700FL13				•		•			8151	X102 - 1,3	•	
8700FL15				•		•			8151	X102 - 1,5	•	
8700FLRM				•		•		7185		•		
8700FLRM13				•		•		7185	8151	X102 - 1,3	•	
8700FLRM15				•		•		7185	8151	X102 - 1,5	•	
LARIUS 2 STAINLESS STEEL	8070	•					•					
	8120		•			•						
	8092	•				•						
VEGA 5:1	K91363/1	•				•		7204/1	8151		•	

In the Stainless steel versions filters, flow regulator and suction are in stainless steel






### MATERIALS

- WATER AND SOLVENT BASED PRODUCTS
- LACQUERS
- ENAMELS
- FIXATIVES
- LACQUERS
- PRIMER
- IMPREGNATING...

### APPLICATIONS

- WOODWORK FURNITURE
- METAL PRODUCTS AND MACHINERY
- AUTOMOTIVE
- LEATHER
- GENERAL INDUSTRIAL FINISHING

# USEFUL TOOLS TO ENSURE A LONG SERVICE LIFE OF YOUR COATING SPRAYER

MANUAL LOW PRESSURE SPRAY GUNS	LOW PRESSURE DOUBLE HOSES MAX. OPERATING PRESSURE 32 BAR. Ø 1/4" - 1/4"	LOW PRESSURE FLOW REGULATORS	LINE FILTERS
<p><b>X-102</b> <b>PART No. 15108</b> Nozzle 0,8 mm <b>PART No. 15110</b> Nozzle 1,0 mm <b>PART No. 15113</b> Nozzle 1,3 mm <b>PART No. 15115</b> Nozzle 1,5 mm</p> <p><b>X-202</b> <b>PART No. 15313</b> Nozzle 1,3 mm <b>PART No. 15315</b> Nozzle 1,5 mm <b>PART No. 15318</b> Nozzle 1,8 mm <b>PART No. 15320</b> Nozzle 2,0 mm</p> 	<p><b>PART No. 8151</b> Length 7,5 m <b>PART No. 8152</b> Length 10 m <b>PART No. 8153</b> Length 5 m</p>  <p><b>PART No. 94081</b> Gravity tank 6 l with recirculation</p> 	<p><b>PART No. 7185</b> Flow regulator + pressure gauge 0 - 7 bar - LARIUS 2 <b>PART No. 7201</b> Stainless steel flow regulator + pressure gauge 0-7 bar - LARIUS 2 <b>PART No. 7205/1</b> Stainless steel flow regulator 0 - 7 bar - LARIUS 2 Plus <b>PART No. 7204/1</b> Flow regulator for dense products 0 - 14 bar - VEGA 5:1</p> 	<p><b>PART No. 8049</b> Long filter with recirculation - LARIUS 2 <b>PART No. 8107</b> Short filter with suction - LARIUS 2 <b>PART No. 8113</b> Filter with gravity tank - LARIUS 2 <b>PART No. 8096</b> Stainless steel filter - LARIUS 2 <b>PART No. 98388</b> Stainless steel filter - VEGA 5:1</p> 

**LARIUS**®  
SAMOA Group

LARIUS S.r.l.  
VIA ANTONIO STOPPANI, 21  
23801 CALOLZIOCORTE (LC) ITALY  
Tel.: +39 0341 621152 - Fax: + 39 0341 621242  
export@larius.com  
www.larius.com

MADE IN ITALY SINCE 1969

